BELL 525 ABOVE COMFORT



THE ESSENCE OF COMFORT EXPANDED


ې پ



Ambient lighting and electro-chromatic windows creates the ideal ambience to disconnect.









MECAER | AVIATION | GROUP



An interconnected world right at your fingertips.



CENTRAL CABINET

- Extractable Table
- PED Holder
- Headset Storage
- 110V Sockets
- ICS Storage
- Glass Holder
- Amenity Holder
- Cool Box
- 17" or 19" Monitor



CENTRAL TELESCOPE TABLE

- 110V Sockets
- Glass Holder
- 17" Monitor

MAIN CABIN SEATING: CRAFTMANSHIP WITH ENDLESS POSSIBILITIES



4 - PASSENGER + Foreword & Aft Cabinets + Optional Cabinet + Separation Wall



7 - PASSENGER + Foreword Cabinets + 2 Aft Cabinets + Separation Wall



8 - PASSENGER + Foreword Cabinet + Separation Wall



8 - PASSENGER + Foreword & Aft Cabinets + Separation Wall



10 - PASSENGER + Curtain



12 - PASSENGER + Curtain + Optional Cabinet



SILENS[™] IS BEAUTIFUL

By incorporating Diffused Antivibration Multilayer Panel (DAMP) technology into the SILENS[™] noise and vibration abatement system, Mecaer introduces an innovative way to experience silence.

DAMP technology bonds a lightweight honeycomb structure to the aircraft panels to further minimize noise and increase comfort in flight while offering compressed time for installation and removal with a minimal weight increase.







MISSION RANGE

- 2 Crew + 6 Pax
- 6000 ft. ISA +20
- 30 Min. Reserve
- Mission Range: 500 NM / 926 km
 250 NM / 463 km Radius (Return to Base)

bellflight.com

© 2021 Bell Textron Inc. All registered trademarks are the property of their respective owners. The information herein is general in nature and may vary with conditions. Individuals using this information must exercise their independent judgment in evaluating product selection and determining product appropriateness for their particular purpose and requirements. For performance data and operating limitations for any specific mission, reference must be made to the approved flight manual. CML-1523673011_525 Head of State Tri-Fold_100521_R01_EN